

UK STEEL GAME RANGE INFORMATION

Gauge	Brand	Load	Shot Size	Wad	Case Length	Velocity MPS V1	Performance	Gun Proof	Choke
12	Dark Storm Precision Steel	32gms	5 (3mm)	Bio-Wad	70mm (2¾")	400	Standard	Modern Nitro	Half Choke Maximum
12	Dark Storm Precision Steel	32gms	4 (3.25mm)	Bio-Wad	70mm (2¾")	400	Standard	Modern Nitro	Half Choke Maximum
12	Dark Storm Precision Steel	32gms	3 (3.5mm)	Bio-Wad	70mm (2¾")	430	High-Performance	Steel Fleur de Lys	We Strongly advise Half Choke Maximum (CIP No Choke Restrictions)
12	Super Steel	32gms	5 (3mm)	Plastic	70mm (2¾")	400	Standard	Modern Nitro	Half Choke Maximum
12	Super Steel	32gms	4 (3.25mm)	Plastic	70mm (2¾")	400	Standard	Modern Nitro	Half Choke Maximum
12	Super Steel	32gms	3 (3.5mm)	Plastic	70mm (2¾")	410	High-Performance	Steel Fleur de Lys	We Strongly advise Half Choke Maximum (CIP No Choke Restrictions)
12	Mammoth Magnum Steel	36gms	4 (3.25mm)	Plastic	76mm (3")	425	High-Performance	Steel Fleur de Lys	We Strongly advise Half Choke Maximum (CIP No Choke Restrictions)
12	Mammoth Magnum Steel	36gms	3 (3.5mm)	Plastic	76mm (3")	425	High-Performance	Steel Fleur de Lys	We Strongly advise Half Choke Maximum (CIP No Choke Restrictions)
12	Mammoth Magnum Steel	36gms	1 (4mm)	Plastic	76mm (3")	425	High-Performance	Steel Fleur de Lys	Half Choke Maximum
12	Mammoth Magnum 3½"	42gms	3 (3.5mm)	Plastic	86mm (3½")	425	High-Performance	Steel Fleur de Lys	We Strongly advise Half Choke Maximum (CIP No Choke Restrictions)
12	Mammoth Magnum 3½"	42gms	1 (4mm)	Plastic	86mm (3½")	425	High-Performance	Steel Fleur de Lys	Half Choke Maximum
12	Mammoth Magnum 3½"	42gms	BB (4.5mm)	Plastic	86mm (3½")	425	High-Performance	Steel Fleur de Lys	Half Choke Maximum
20	Steel Game	24gms	5 (3mm)	Plastic	70mm (2¾")	400	Standard	Modern Nitro	Half Choke Maximum













3mm

Standard Steel

Standard Steel ammunition can be used in any shotgun (other than Damascus/twist barrelled guns), in good order bearing any London or Birmingham proof symbols 1954 onwards. For pre 1954 shotguns guidance will be needed from the British Proof Authority. The shotgun must be chambered for the case length of the ammunition as a minimum. Longer chamber lengths can be used with shorter ammunition.

High-Performance Steel

High-Performance Steel ammunition can only be used in shotguns bearing a CIP Fleur de Lys proof mark. CIP Recommends a MAXIMUM choke of half (.5mm) for shot sizes 4mm & larger. Please see above for Gamebore's own recommendations based on product performance, experience and safety.